

# Standard Pipe

Black and Galvanized

(4" & Smaller - Continuous Weld ASTM A53) (5" & 6" Seamless - ASTM-A53 and A106) (8", 10", 12" Seamless - API-5L)



All weights and dimensions nominal.

Size (Inches)	OD (outside diameter)	Schedule 40 (Standard size)	ID (inside diameter)	Wall (Thickness in Inches)	Weight (pounds per foot)	Threads (per Inch)
<b>1/8</b>	<b>.405</b>	<b>sch10</b>	<b>.307</b>	<b>.049</b>	<b>.186</b>	<b>27</b>
		<b>sch40</b>	<b>.269</b>	<b>.068</b>	<b>.245</b>	
		<b>sch80</b>	<b>.215</b>	<b>.095</b>	<b>.315</b>	
<b>1/4</b>	<b>.540</b>	<b>sch10</b>	<b>.410</b>	<b>.065</b>	<b>.330</b>	<b>18</b>
		<b>sch40</b>	<b>.364</b>	<b>.088</b>	<b>.425</b>	
		<b>sch80</b>	<b>.302</b>	<b>.119</b>	<b>.535</b>	
<b>3/8</b>	<b>.675</b>	<b>sch10</b>	<b>.545</b>	<b>.065</b>	<b>.423</b>	<b>18</b>
		<b>sch40</b>	<b>.493</b>	<b>.091</b>	<b>.568</b>	
		<b>sch80</b>	<b>.423</b>	<b>.126</b>	<b>.739</b>	
<b>1/2</b>	<b>.840</b>	<b>sch10</b>	<b>.674</b>	<b>.083</b>	<b>.671</b>	<b>14</b>
		<b>sch40</b>	<b>.622</b>	<b>.109</b>	<b>.851</b>	
		<b>sch80</b>	<b>.546</b>	<b>.147</b>	<b>1.088</b>	
<b>3/4</b>	<b>1.050</b>	<b>sch10</b>	<b>.884</b>	<b>.083</b>	<b>.857</b>	<b>14</b>
		<b>sch40</b>	<b>.824</b>	<b>.113</b>	<b>1.131</b>	
		<b>sch80</b>	<b>.742</b>	<b>.154</b>	<b>1.474</b>	
<b>1</b>	<b>1.315</b>	<b>sch10</b>	<b>1.097</b>	<b>.109</b>	<b>1.404</b>	<b>11 1/2</b>
		<b>sch40</b>	<b>1.049</b>	<b>.133</b>	<b>1.679</b>	
		<b>sch80</b>	<b>.957</b>	<b>.179</b>	<b>2.172</b>	
<b>1 1/4</b>	<b>1.660</b>	<b>sch10</b>	<b>1.442</b>	<b>.109</b>	<b>1.806</b>	<b>11 1/2</b>
		<b>sch40</b>	<b>1.380</b>	<b>.140</b>	<b>2.273</b>	
		<b>sch80</b>	<b>1.278</b>	<b>.191</b>	<b>2.997</b>	
<b>1 1/2</b>	<b>1.900</b>	<b>sch10</b>	<b>1.682</b>	<b>.109</b>	<b>2.085</b>	<b>11 1/2</b>
		<b>sch40</b>	<b>1.610</b>	<b>.145</b>	<b>2.718</b>	
		<b>sch80</b>	<b>1.500</b>	<b>.200</b>	<b>3.631</b>	
<b>2</b>	<b>2.375</b>	<b>sch10</b>	<b>2.157</b>	<b>.109</b>	<b>2.638</b>	<b>11 1/2</b>
		<b>sch40</b>	<b>2.067</b>	<b>.154</b>	<b>3.653</b>	
		<b>sch80</b>	<b>1.939</b>	<b>.218</b>	<b>5.022</b>	

Size (Inches)	OD (outside diameter)	Schedule 40 (Standard size)	ID (inside diameter)	Wall (Thickness in Inches)	Weight (pounds per foot)	Threads (per Inch)
<b>2 1/2</b>	<b>2.875</b>	<b>sch10</b>	<b>2.635</b>	<b>.120</b>	<b>3.531</b>	<b>8</b>
		<b>sch40</b>	<b>2.469</b>	<b>.203</b>	<b>5.793</b>	
		<b>sch80</b>	<b>2.323</b>	<b>.276</b>	<b>7.661</b>	
<b>3</b>	<b>3.500</b>	<b>sch10</b>	<b>3.260</b>	<b>.120</b>	<b>4.332</b>	<b>8</b>
		<b>sch40</b>	<b>3.068</b>	<b>.216</b>	<b>7.576</b>	
		<b>sch80</b>	<b>2.900</b>	<b>.300</b>	<b>10.253</b>	
<b>3 1/2</b>	<b>4.000</b>	<b>sch10</b>	<b>3.760</b>	<b>.120</b>	<b>4.973</b>	<b>8</b>
		<b>sch40</b>	<b>3.548</b>	<b>.226</b>	<b>9.109</b>	
		<b>sch80</b>	<b>3.364</b>	<b>.318</b>	<b>12.505</b>	
<b>4</b>	<b>4.500</b>	<b>sch10</b>	<b>4.260</b>	<b>.120</b>	<b>5.614</b>	<b>8</b>
		<b>sch40</b>	<b>4.026</b>	<b>.237</b>	<b>10.791</b>	
		<b>sch80</b>	<b>3.626</b>	<b>.437</b>	<b>18.963</b>	
<b>5</b>	<b>5.563</b>	<b>sch10</b>	<b>5.295</b>	<b>.134</b>	<b>7.770</b>	<b>8</b>
		<b>sch40</b>	<b>5.047</b>	<b>.258</b>	<b>14.618</b>	
		<b>sch80</b>	<b>4.813</b>	<b>.375</b>	<b>20.778</b>	
<b>6</b>	<b>6.625</b>	<b>sch10</b>	<b>6.357</b>	<b>.134</b>	<b>9.290</b>	<b>8</b>
		<b>sch40</b>	<b>6.065</b>	<b>.280</b>	<b>18.974</b>	
		<b>sch80</b>	<b>5.761</b>	<b>.432</b>	<b>28.574</b>	
<b>8</b>	<b>8.625</b>	<b>sch10</b>	<b>8.329</b>	<b>.148</b>	<b>13.399</b>	<b>8</b>
		<b>sch40</b>	<b>7.981</b>	<b>.322</b>	<b>28.554</b>	
		<b>sch80</b>	<b>7.625</b>	<b>.500</b>	<b>43.388</b>	
<b>10</b>	<b>10.750</b>	<b>sch10</b>	<b>10.420</b>	<b>.165</b>	<b>18.653</b>	<b>8</b>
		<b>sch40</b>	<b>10.020</b>	<b>.365</b>	<b>40.484</b>	
		<b>sch80</b>	<b>9.750</b>	<b>.500</b>	<b>54.736</b>	
<b>12</b>	<b>12.750</b>	<b>sch10</b>	<b>12.390</b>	<b>.180</b>	<b>24.165</b>	<b>8</b>
		<b>sch40</b>	<b>12.000</b>	<b>.375</b>	<b>49.563</b>	
		<b>sch80</b>	<b>11.750</b>	<b>.500</b>	<b>65.416</b>	